

Contributions to The Mathematical Gazette

Michael D. Hirschhorn

Items marked with a * also appear on Michael D. Hirschhorn's list of publications.

- [1]* “A proof of Eperson’s conjecture” 84 (501) (2000), 442–446.
- [2]* “Comment on 84.59 “A graphical approach to $n^{\frac{1}{n}}$ ” 85 (504) (2001), 503.
- [3] Letter to the Editor “Square–triangular numbers again” 86 (506) (2002), 336.
- [4]* 87.33 “Comment on “Dissecting squares”” 87 (509) (2003), 286–287.
- [5]* 87.34 “Some binomial coefficient identities” 87 (509) (2003), 288–291.
- [6]* 87.35 “Some remarks on difference equations” 87 (509) (2003), 291–296.
- [7]* 87.67 “Sums involving square–free integers” 87 (510) (2003), 527–528.
- [8]* 87.68 “Comment on 85.38 “A curious identity” 87 (510) (2003), 528–530.
- [9] On 86.07 “Morley’s theorem — once again” 87 (510) (2003), 582.
- [10] On 86.67 “An algebraic identity revisited” 87 (510) (2003), 582.
- [11] On 87.20 “The irrationality of $\sqrt{2}$, $\sqrt{3}$, $\sqrt{5}$, $\sqrt{6}$. . . ” 87 (510) (2003), 582.
- [12] On 87.22 “Some identities for an old combinatorial sum” 87 (510) (2003), 582–583.
- [13] On 87.23 “Triangles with a 60° angle and sides of integer length” 87 (510) (2003), 583.
- [14] On 87.25 “More sequences from polygons” 87 (510) (2003), 583.
- [15] Letter to the Editor “Hymne to Hymen” 87 (510) (2003), 586.
- [16] On 87.33 “Comment on “Dissecting squares”” 88 (511) (2004), 156–157.
- [17] On 87.22 “Some identities for an old combinatorial sum” 88 (512) (2004), 317.
- [18] On 87.71 “Evaluation of a class of improper integrals of the first kind” 88 (512) (2004), 320.

Typeset by $\mathcal{A}\mathcal{M}\mathcal{S}$ -TEX

- [19]* 88.53 “Triangular numbers and perfect squares” 88 (513) (2004), 500–503.
- [20] On 87.55 “An elementary approach to finding all square–triangular numbers” 88 (513) (2004), 578–579.
- [21] On 87.66 “An inequality for certain exponential sums” 88 (513) (2004), 579–580.
- [22] On “Formulae for the convergents to some irrationals” 88 (513) (2004), 580.
- [23] On 88.38 “Some observations on the method of arctangents for the calculation of π ” 89 (514) (2005), 105.
- [24] On 88.42 “Bounds for arithmetic means of means” 89 (514) (2005), 105.
- [25]* 89.38 “An identity involving binomial coefficients” 89 (515) (2005), 256–258.
- [26] On 88.39 “A modification to the e limit” 89 (515) (2005), 305.
- [27] On “Beyond the Euler summation formula” 89 (515) (2005), 305.
- [28] On 88.55 “Integer roots of cubic equations” 89 (515) (2005), 305–306.
- [29] On 88.61 “An inequality by ‘rank and file’ method” 89 (515) (2005), 306.
- [30] On 88.63 “A Ramanujan equation” 89 (515) (2005), 307–308.
- [31] On 88.64 “Convergent Fibonacci–type sequences” 89 (515) (2005), 308.
- [32] On 88.67 “The best bounds to $\frac{(2n)!}{2^{2n}(n!)^2}$ ” 89 (515) (2005), 309.
- [33] On 88.75 “No consecutive heads” 89 (515) (2005), 309–310.
- [34] On 88.02 “Some properties of odd terms of the Fibonacci sequence” 89 (516) (2005), 529.
- [35] On 89.01 “Perfect, and almost perfect, Pythagorean triangles” 89 (516) (2005), 530.
- [36] On 89.08 “The crossed ladder problem” 89 (516) (2005), 531–533.
- [37]* 90.04 “The number of partitions of a number into distinct squares” 90 (517) (2006), 80–87.

- [38]* Evaluating $\sum_1^N (a + nd)^p$ 90 (517) (2006), 114–116.
- [39] On 88.55 “Integer roots of cubic equations” 90 (517) (2006), 151.
- [40] On 89.32 “On a particular Diophantine equation” 90 (517) (2006), 152–153.
- [41]* 90.40 “A new version of Stirling’s formula” 90 (518) (2006), 286–292.
- [42]* 90.43 “On Euler’s constant” 90 (518) (2006), 295–298.
- [43]* 90.54 “The new neighbours problem: a solution” 90 (518) (2006), 321–324.
- [44] On “An asymptotic formula for powers of binomial coefficients” 90 (518) (2006), 341–343.
- [45] On “The aberrancy of plane curves” 90 (518) (2006), 343.
- [46] On 89.53 “Discrete cycloids” 90 (518) (2006), 345.
- [47] On 89.55 “Integral Apollonian circle packings and touching sets” 90 (518) (2006), 346–348.
- [48] On 89.46 “Geometric mean sequences” 90 (519) (2006), 516.
- [49] On “Numerical integration — a different approach” 90 (519) (2006), 516–517.
- [50] On 90.01 “Cassini-like formulas for Jacobsthal and Kosky polynomials” 90 (519) (2006), 519–520.
- [51] On 90.09 “A variation on Pythagoras’ identity” and 90.19 “On the evaluation of $\int_p^q \frac{f(x)}{a + b \cos x} dx$ and related integrals” 90 (519) (2006), 522–523.
- [52] On 90.15 “Square-freeness revisited” 90 (519) (2006), 523.
- [53] On 90.30 “How many children” 90 (519) (2006), 524–525.
- [54] On 89.55 “Integral Apollonian circle packings and touching sets” 91 (520) (2007), 153.
- [55] On 90.06 “Math bite: two uses for an algebraic identity” 91 (520) (2007), 153.
- [56] On 89.55 “Integral Apollonian circle packings and touching sets” 91 (520) (2007), 153.

- [57] On 90.35 “More on the family of subsets of a set” 91 (520) (2007), 153–154.
- [58]* 91.35 “Extrema of a symmetric function” 91 (521) (2007), 264–267.
- [59] On 90.60 “Diophantine triplets revisited” 91 (521) (2007), 349–350.
- [60] On 90.66 “The equality of two integrals” 91 (521) (2007), 351.
- [61] On 90.67 “A series for the ‘bit’” 91 (521) (2007), 352.
- [62] “Teaching integration” 91 (522) (2007), 547.
- [63] On 91.01 “The central elements in Josef’s triangle” 91 (522) (2007), 551.
- [64] On 91.02 “Equations with roots in geometrical progression” 91 (522) (2007), 551–552.
- [65] On 91.04 “The Pell sequence and Pythagorean triples” 91 (522) (2007), 552.
- [66] On 91.10 “Ball in a bucket” 91 (522) (2007), 552–553.
- [67] On 91.13 “A new proof of a curious identity” 91 (522) (2007), 553–554.
- [68] On 91.15 “Making toast” 91 (522) (2007), 554–555.
- [69] On 91.18 “Archimedes revisited: the approximation of π by regular polygon perimeters” 91 (522) (2007), 555–556.
- [70] On 91.34 “Positive solutions of Mordell’s equation” 91 (522) (2007), 556.
- [71] On 91.43 “A furniture removal problem” 91 (522) (2007), 557.
- [72] Letter to the Editor 91 (522) (2007), 560.
- [73]* “Three scenarios involving elastic collisions” 92 (523) (2008), 154–158.
- [74] On 91.47 “Newton–Raphson revisited” 92 (524) (2008), 351–353.
- [75] On 91.48 “A geometrical recreation or how to avoid your neighbours” 92 (524) (2008), 354–355.
- [76] 92.86 “Pythagoras’ theorem” 92 (525) (2008), 565.
- [77] On 91.04 “The Pell sequence and Pythagorean triples” 92 (525) (2008), 570.

- [78] On 89.55 “Integral Apollonian circle packings and touching sets” 93 (526) (2009), 150.
- [79] On 92.27 “The number of HH ’s in a coin-tossing experiment and the Fibonacci sequence” 93 (526) (2009), 151–154.
- [80] On 92.70 “On an infinite series” 93 (526) (2009), 157.
- [81] On 92.62 “Some Diophantine tricks” 93 (527) (2009), 359–360.
- [82] On 92.70 “On an infinite series” 93 (527) (2009), 360–362.
- [83] On 92.72 “The closed form evaluation of $\sum_{n=1}^{\infty} \frac{1}{n^k(n+1)^k}$ and related Eulerian series” 93 (527) (2009), 363–364.
- [84] On 92.83 “Partitioning rugby scores” 93 (527) (2009), 364–365.
- [85] On 92.84 “Sharing resources as fairly as possible” 93 (527) (2009), 365–366.
- [86] Letter to the Editor “A surprising observation” 93 (528) (2009), 536.
- [87] On 91.14 “Another simple proof of the theorem of the means” 93 (528) (2009), 537.
- [88] On 92.05 “When is the sum of consecutive n th powers an n th power?” 93 (528) (2009), 537.
- [89] On 92.15 “An improved approximation to a well-known integral” 93 (528) (2009), 538–539.
- [90] On 93.01 “Nested Fibonacci and Lucas radical sums” 93 (528) (2009), 540.
- [91] On 93.05 “Proving an identity of Lagrange” 93 (528) (2009), 540.
- [92] On “On a simple set of integers” 94 (529) (2010), 152–153.
- [93] On 93.23 “Summing powers of natural numbers” 94 (529) (2010), 153–154.
- [94] On 93.27 “Fourth degree polynomials and the golden ratio” 94 (529) (2010), 154.
- [95] On 93.36 “Cutting up a k -dimensional hypercube with a $(k-1)$ -dimensional saw” 94 (529) (2010), 156.

- [96] On 93.39 “An unusual probability generating function” 94 (529) (2010), 158.
- [97] On “A modern look at a neglected summation formula of Euler” 94 (530) (2010), 336.
- [98] On “Tribinomial coefficients and Catalan numbers” 94 (530) (2010), 338.
- [99] On “A generalisation of Ioachimescu’s constant” 94 (530) (2010), 338–341.
- [100] On 92.15 “An improved approximation to a well-known integral” and 93.28 “On the area enclosed by the curve $x^4 + y^4 = 1$ ” 94 (531) (2010), 536–537.
- [101] On 99.38 “An unusual probability generating function” 94 (531) (2010), 537–538.
- [102] On “Pascal-like triangles and Fibonacci-like sequences” 94 (531) (2010), 538–539.
- [103] On “An interesting strategic blunder” 94 (531) (2010), 539.
- [104] On 94.03 “Two squares and four squares: the simplest proof of all?” 94 (531) (2010), 539.
- [105]* 95.08 “Maximisation/minimisation without calculus” 95 (532) (2011), 83–85.
- [106]* 95.11 “An interesting integral” 95 (532) (2011), 90–91.
- [107] On 94.17 “Evaluating the Euler constant” 95 (532) (2011), 128.
- [108] On 94.12 “The non-existence of integer solutions to $py^2 = x^4 + x$ ” 95 (532) (2011), 128–129.
- [109] On 94.14 “On an identity involving binomial coefficients via $\arctan(x)$ ” 95 (532) (2011), 129–130.
- [110] On 94.16 “Irrational roots revisited” 95 (532) (2011), 132.
- [111]* 95.35 “A surprising appearance of $\zeta(3)$ ” 95 (533) (2011), 313.
- [112]* 95.40 “Lord Brouncker’s continued fraction for π ” 95 (533) (2011), 322–326.
- [113]* “When is the sum of consecutive squares a square?” 95 (634) (2011), 511–512.

[114]* 95.61 “Tenth order algorithms for calculating $\sqrt{2}$, $\sqrt[3]{3}$ ” 95 (534) (2011), 526–528.

[115]* 96.17 “Inequalities for Euler’s constant” 96 (535) (2012), 133–136.

[116] On “Closed forms for convolutions of Catalan numbers”, 96 (535) (2012), 82–90.

[117] On 96.13 “How Wallis’s product approaches π ” 96 (535) (2012), 124–127.

[118] On 96.19 “Taking a short cut through Pascal’s triangle” 96 (535) (2012), 142–145.

[119] On 96.20 “Pascal’s triangle: The hidden stor-e” 96 (535) (2012), 145–148.